





Potassium bisulfite Baktol 50 - Baktol 80 - Baktol 100 - Baktol 150 - Baktol 180 - Baktol 200 Antiseptic - Antioxidant - Antioxydase

CHARACTERISTICS

 \bullet Solutions containing 50, 80, 100, 150, 180, 200 g/L of SO_2 in the form of potassium bisulfite (chemical formula KHSO_3).

• **BAKTOL** has the characteristic odour of SO₂ and while this odour is mild, it is recommended to avoid breathing it in.

• **BAKTOL** exhibits all the properties of SO₂ (see **BAKTOL P** sheet). The solution is **ready for use**. All you have to do is measure out a volume.

• **BAKTOL** is buffered so as to reduce release of SO₂ into the atmosphere, make it easier to handle, and improve long-term storage, even in cans that have been opened.

REFERENCE TABLE										
	BAKTOL 50	BAKTOL 80	BAKTOL 100	BAKTOL 150	BAKTOL 180	BAKTOL 200				
Dose of SO ₂										
provided by	0.5 g	0.8 g	1 g	1.5 g	1.8 g	2 g				
1 cL (10 mL)	0.5 g									
of solution										
Dose of solution										
required to	2.00 cL	1.25 cL	1.00 cL	0.66 CL	0.55 cL	0.5 cL				
provide 1 g de	2.00 CL	1.23 CL	1.00 CL	0.00 CL	0.00 CL	0.5 CL				
SO ₂										

DOSAGE

Doses vary considerably depending on specific circumstances and on the period of use. It is preferable to **seek an oenologist's advice**.

INSTRUCTIONS FOR USE

Measure out the required amount in a graduated measuring cylinder or any other graduated container. Add to the volume to be treated and mix thoroughly. Upon contact with colouring matter, SO₂ instantly discolours it. This discolouration is reversible. As soon as the free SO₂ disappears, all the colouring matter returns.

271/2017 - 1 / 2



PACKAGING

	BAKTOL 50	BAKTOL 80	BAKTOL 100	BAKTOL 150	BAKTOL 180	BAKTOL 200
1 L			X			
5 L	X		X	X	X	
10 L	Х		X		X	X
20 L		Х	X	X	X	
60 L				X		
1000 L		Х	X	X	X	X

STORAGE

Store unopened, sealed packaging away from light in a dry, odour-free environment, at a temperature between 15 °C and 20 °C. Once opened use rapidly.

The information provided above is based on our current state of knowledge. This information is non-binding and without guarantee, since the conditions of use are beyond our control. It does not release the user from complying with existing legislation and safety data. This document is the property of SOFRALAB and may not be modified without its agreement.

271/2017 - 2 / 2