

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**01 Identification of substance**• **1.1 Product details:****Trade name:**

ACTIVE FOAM CL

• **Article number:**

000931

• **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
See the following or attachments.• **Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

• **Application of the substance / the preparation**

Cleaning material/ Detergent

• **1.3 Supplier details:**• **Manufacturer/Supplier:**

WIGOL W Stache GmbH

chemische Fabrik

Textorstraße 2

D-67547 Worms

Fax : +49-(0)6241-414141

Tel.: +49-(0)6241-4141-0

• **Informing department:**

Laboratory Department

TEL: +49(0)6241 4141 0; FAX: +49(0)6241 4141 41; mail: kontakt@wigol.de

• **1.4 Emergency information:**

TEL: +49 (0) 6131 19240

Poison Information Center Mainz, Germany

<http://www.giftinfo.uni-mainz.de/>**02 Hazard identification**• **2.1 Classification of the substance or mixture**• **Classification according to Regulation (EC) No 1272/2008**

GHS05

Met. Corr. 1 - H290 May be corrosive to metals.

Skin Corr. 1B - H314 Causes severe skin burns and eye damage.



GHS09

Aquatic Acute 1 - H400 Very toxic to aquatic life.

Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

• **2.2 Label elements**• **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.



GHS05

GHS09

• **Signal word**

Danger

• **Hazard-determining components of labelling:**

Sodium hypochlorite solution / Potassium Hydroxide

(continued on page 2)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 1)

- **Hazard statements**
  - H290 May be corrosive to metals.
  - H314 Causes severe skin burns and eye damage.
  - H400 Very toxic to aquatic life.
  - H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
  - P234 Keep only in original container.
  - P260 Do not breathe dust/fume/gas/mist/vapours/spray.
  - P273 Avoid release to the environment.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection.
  - P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
  - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water shower.
  - P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
  - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
  - P310 Immediately call a POISON CENTER/doctor.
  - P406 Store in corrosive resistant container with a resistant inner liner.
  - P501 Dispose of contents/container in accordance with local/regional/ national/international regulations.
- **2.3 Additional information:**
- **Results of PBT and vPvB assessment**

According to Annex XIII, XIV of Regulation (EC) No.1907/2006 concerning REACH Not fulfilling PBT (persistent bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent/very bioaccumulative) criteria. Self classification
- **PBT:**

Not applicable.
- **vPvB:**

Not applicable.

**03 Composition/Data on components**

- **3.2 Chemical characterization**
- **Description:**

Solution of substances listed below with non declarable additions.

• **Dangerous components:**

CAS Number		%
7681-52-9	<b>Sodium hypochlorite</b> EC Number: 231-668-3 Record number 01-2119488154-34 ☠ Met. Corr.1 - H290, Skin Corr. 1B - H314; ☠ Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411	>1,0-<5,0
1310-58-3	<b>Potassium Hydroxide</b> EC Number: 215-181-3 Record number 01-2119487136-33 ☠ Met. Corr.1 - H290, Skin Corr. 1A - H314; ☠ Acute Tox. 4 - H302	>1,0-<5,0
308062-28-4	<b>Alkylamine oxide</b> EC Number: 216-700-6 Record number 01-2119490061-47 ☠ Eye Dam. 1 - H318; ☠ Skin Irrit. 2 - H315; ☠ Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411	>1,0-<5,0
	• <b>Regulation (EC) No 648/2004 on detergents / Labelling for contents</b> <b>chlorine-based bleaching agents, non-ionic surfactants,</b> <b>phosphonates</b>	< 5%

D

(continued on page 3)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL***(continued of page 2)***04 First aid measures**

- **4.1 Description of first aid measures**

- **General information**

Instantly remove any clothing soiled by the product.  
Personal protection for the First Aider.

- **After inhalation**

Supply fresh air or oxygen; call for doctor.

- **After skin contact**

Instantly wash with water and soap and rinse thoroughly.

- **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.  
Use eye protection.

- **After swallowing**

Rinse out mouth.  
Drink copious amounts of water and provide fresh air. Instantly call for doctor.  
Do not induce vomiting; instantly call for medical help.  
During spontaneous vomiting hold the head of the casualty onto low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

- **Information for doctor**

Typical caustic burns. Symptoms of acute poisoning: The local damage proceeds very quickly, initially without any or little (inadequate!) sensation of pain. Eyes: in particular damage to the conjunctives, cornea, sclera (edema, ulceration/perforation, opacity of the cornea), more seldom even to the retina and choroidea; there is a danger of blindness! Skin: erythema -> erosion with swelling of the tissue showing soft, gelatinous surface (colliquative necrosis), -> deficient skin function (rule of nines!) Inhalation: tussive irritation, following massive inhalation ...  
Information see: GESTIS-database on hazardous substances [www.dguv.de/ifa/gestis/gestis-stoffdatenbank/](http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/)

- **4.2 The following symptoms may occur:**

No further relevant information available.

- **Danger**

No further relevant information available.

- **Treatment**

No further relevant information available.

**05 Fire fighting measures**

- **5.1 Extinguishing media**

- **Suitable extinguishing agents**

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- **For safety reasons unsuitable extinguishing agents**

Not known.

- **5.2 Special hazards caused by the material, its products of combustion or flue gases:**

Hydrogen chloride (HCl)  
Carbon oxides (CO<sub>x</sub>)  
Chlorine (Cl<sub>2</sub>)

- **5.3 Advice for firefighters**

- **Protective equipment:**

Keep breathing equipment ready.  
Wear protective equipment. Keep unprotected persons away.

- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

D

*(continued on page 4)*

**PRODUCT : ACTIVE FOAM CL**

(continued of page 3)

**06 Accidental release measures**

- **6.1 Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Measures for environmental protection:**  
Inform respective authorities in case product reaches water or sewage system.  
If material reaches soil inform authorities responsible for such cases.  
Dilute with much water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **6.3 Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Dispose of the material collected according to regulations.  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Additional information:**  
Other regulations, limitations and prohibitive regulations see chapter 15

**07 Handling and storage**

- **Handling**
- **7.1 Information for safe handling:**  
Prevent formation of aerosols.  
Do not seal containers gas-tight.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Do not mix with acid products
- **Information about protection against explosions and fires:**  
Keep breathing equipment ready.
- **Technically and precautionary measures**  
Store in the original bundle.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Store only in the original container.  
Observe official regulations on storing packagings with dangerous goods
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.  
Protect from heat and direct sunlight.  
Protect from frost.
- **Storage class**  
8 B  
Storage classes according TRGS 510  
Do not store together with acids
- **7.3 Specific end use(s)**  
No further relevant information available.

**08 Exposure controls and personal protection**

- **Additional information about design of technical systems:**  
No further data; see item 7.
- **8.1 Control parameters**
- **workplace:**  
*Components with critical values that require monitoring at the*  
*7782-50-5 chlorine*  
*AGW*  
*Long-term value* **1,5**

**mg/m<sup>3</sup>**  
(continued on page 5)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 4)

0,5

ppm

1(I);DFG, EU, Y

- **Additional information:**  
The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and food.  
Wash hands during breaks and at the end of the work.  
Instantly remove any soiled and impregnated garments.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.  
Other regulations, limitations and prohibitive regulations see chapter 15
- **Breathing equipment: Use breathing protection when aerosol or mist is formed (FFP2SL)**  
Combination filter ABEK Other regulations, limitations and prohibitive regulations see chapter 15
- **Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.**  
**Alkaline resistant protection gloves - EN 374 (Butyl india rubber, Viton) Other regulations, limitations and prohibitive regulations see chapter 15**
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection: Safety glasses with side protection (EN 166) Tightly sealed goggles (EN 166) Other regulations, limitations and prohibitive regulations see chapter 15**
- **Body protection: Protective work clothing EN 340 - Protective clothing, general requirements**  
**Chemical protective clothing - EN 463 following Other regulations, limitations and prohibitive regulations see chapter 15**

**09 Physical and chemical properties****9.1 Information on basic physical and chemical properties****Appearance****Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Yellowish
<b>Smell:</b>	Chlorine-like
<b>Odour threshold:</b>	Not determined.
<b>ph-value:</b>	at 20 °C 11,5+-0,3 ( 10,000 g/l water)

**CHANGE IN CONDITION range/value unit method**

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	> 100 °C
<b>Flash point:</b>	Not applicable
<b>Inflammability (solid, gaseous)</b>	Not applicable.
<b>Ignition temperature:</b>	Not applicable
<b>Decomposition temperature:</b>	Not determined.
<b>Self-inflammability</b>	Not determined.
<b>Danger of explosion:</b>	Product is not explosive.
<b>Critical values for explosion:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Steam pressure:</b>	Not determined.
<b>Density</b>	1,0000 - 1,1200 g/cm <sup>3</sup> 20°C
<b>Solubility in / Miscibility with</b>	

(continued on page 6)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 5)

<b>Water:</b>	Not determined.
<b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic:</b>	Not determined.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	0,00 %
<b>9.2 Additional information</b>	No further relevant information available.

**10 Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Contact with acids releases toxic gases.
- **10.4 Conditions to avoid**  
No further relevant information available.
- **10.5 Materials to be avoided:**  
No further relevant information available.
- **Dangerous reactions**  
Reacts with base metals forming hydrogen.  
Reacts with acids releasing chlorine.
- **10.6 Dangerous products of composition:**  
Hydrogen chloride (HCl)  
Chlorine in presence of acid products

**11 Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**
  - 7681-52-9 Sodium hypochlorite**  
Oral, LD50: 1100 mg/kg (rat)  
Dermal, LD50: >20000 mg/kg (Rabbit)  
Inhalative, LC50 (1h): 10,5 mg/l (rat)
  - 1310-58-3 Potassium Hydroxide**  
Oral, LD50: 333 mg/kg (rat)
  - 308062-28-4 Alkylamine oxide**  
Oral, LD50: 2001 mg/kg (rat)  
Dermal, LD50: 2001 mg/kg (rat)
- **Primary irritant effect:**
- **on the skin:**  
Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.
- **Sensitization:**  
No sensitizing effect known.
- **Other information (about experimental toxicology):**  
Note: If the toxicity data relate to the mixture, the calculation is made in accordance with Annex VI, Part 3 of Regulation (EC) 1272/2008. If toxicity data are listed for individual substances they do not refer to the proportions in the mixture, but only on the materials in their standard concentrations.
- **Additional toxicological information:**  
Corrosive  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

D

(continued on page 7)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 6)

**12 Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:**
  - 7681-52-9      Sodium hypochlorite**  
Oncorhynchus mykiss, LC50 (96h): 0,06 mg/l  
Daphnia magna, EC50 (48h): 0,141 mg/l  
alga, NOEC (7d): 0,0021 mg/l
  - 1310-58-3      Potassium Hydroxide**  
Gambusia affinis, LC50 (96h): 80 mg/l  
fish, LC50 (24h): 80 mg/l  
Poecilia reticulata, LC50 (24h): 165 mg/l
  - 308062-28-4      Alkylamine oxide**  
Pimephales promelas, LC50 (96h): 2,67 mg/l  
Daphnia magna, EC50 (48h): 10,4 mg/l  
Selenastrum capricornutum, EC50 (72h): 0,266 mg/l
- **12.2 Information about elimination (persistence and degradability):**  
No further relevant information available.
- **Behaviour in environmental systems:**  
No further relevant information available.
- **12.4 Mobility in soil**  
No further relevant information available.
- **Ecotoxicological effects:**
- **Behaviour in sewage processing plants:**  
If appropriate diluted product reaches the sewage processing plant, there will be no disturbance of the biodegradable activities.
- **Additional ecological information:**
- **CSB-value:**  
Not determined.
- **BSB5-value:**  
Not determined
- **AOX-indication:**  
Product contains no organic bounded halogen  
Application of the product, in presence of organic materials, can cause formulation of AOX
- **General notes:**  
Very toxic for aquatic organisms  
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/ 2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.  
Before the waste is drained usually neutralization is necessary.  
If product reaches untreated water systems, hazardous effects on fish and other water organism are possible.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:**  
Not applicable.
- **vPvB:**  
Not applicable.
- **12.6 Other adverse effects**  
No further relevant information available.

D

(continued on page 8)



1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 7)

**13 Disposal considerations**• **13.1 Product:**• **Recommendation**

The allocation of the waste disposal key number is to be executed by the user according to the European waste disposal catalog (EAK) industry and product specific (origin-referred).  
The waste keys are only referring to concentrated products.

• **European waste catalogue**

06  
WASTES FROM INORGANIC CHEMICAL PROCESSES  
06 02  
wastes from the MFSU of bases  
06 02 99  
wastes not otherwise specified

• **Uncleaned packagings:**• **Recommendation:**

Disposal must be made according to official regulations.

• **Recommended cleaning agent:**

Water, if necessary with cleaning agent.

**14 Transport information**• **14.1 UN-Number****ADR**

UN3266

**IMDG**

UN3266

**IATA**

UN3266

• **14.2 UN proper shipping name****ADR**

3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(POTASSIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)

**IMDG**

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(POTASSIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)

**IATA**

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(POTASSIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION)

• **14.3 Transport hazard class(es)****ADR****Class**

8 (C5) Corrosive substances.

**Label****IMDG****Class**

8 Corrosive substances.

**Label****IATA****Class**

8 Corrosive substances.

(continued on page 9)



1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL**

(continued of page 8)

**Label**• **14.4 Packing group****ADR** II**IMDG** II**IATA** II• **14.5 Environmental hazards:****Marine pollutant:** Yes• **14.6 Special precautions for user**

Warning: Corrosive substances.

**Danger code (Kemler):** 80**EMS Number:** F-A,S-B**Segregation groups** Alkalis• **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

• **Transport/Additional information:**

-

**Excepted quantities (EQ):** E2**Limited quantities (LQ)** 1L**Transport category** 2**Tunnel restriction code** E**IMDG****Limited quantities (LQ)** 1L**Excepted quantities (EQ)** E2• **UN "Model Regulation":**

UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (POTASSIUM HYDROXIDE SOLUTION, HYPOCHLORITE SOLUTION), 8, II, ENVIRONMENTALLY HAZARDOUS

**15 Regulatory information**• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**• **REGULATION (EC) No 1907/2006 ANNEX XVII**

Conditions of restriction: 3

• **National regulations**

Germany: Technical rules for dangerous materials (TRGS) in particular consider:

TRGS 500 Protection measures : minimum standards

TRGS 531 endangerment of the skin by work in the damp environment (damp work)

TRGS 201 Classification and marking from wastes to the removal while handling

G 26 Respirators

Germany: Regard the principles of the professional organizations rules (BGR) in particular consider:

BGR 190: Use of respirators

BGR 197: Use of skin protection

• **Classification after plant security regulation (BetrSichV):**

-

• **Technical instructions (air):**

No further details

• **Water hazard class:**

In accordance with VwVwS appendix 4

Water hazard class 2 (E) : hazardous for water.Self-assessment

• **Other regulations, limitations and prohibitive regulations**

• x

(continued on page 10)

1758900

Printing date: 13.12.2016

Reviewed on: 13.12.2016

**PRODUCT : ACTIVE FOAM CL***(continued of page 9)*

"Arbeitsmedizinische Vorsorge" (DGUV-V6)

- **15.2 Chemical safety assessment:**  
A Chemical Safety Assessment has not been carried out.

**16 Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

- **Training hints**

Consider annual instruction and training of the coworkers  
Contents and time of the instruction are to be held in a written form and must be confirmed by the instructing people by signature. Consider storage time of the proof.

- **Recommended restriction of use**

No public product - only for commercial applications.

- **Department issuing data specification sheet:**

Laboratory department.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- **\* Data compared to the previous version altered.**

\*