Reviewed on: 09.09.2014

according to 1907/2006/EC, Article 31

## 1582800

Printing date: 01.10.2014



• 1.1 Product details:	
Trade name:	
TANK CLEANER A EXTRA CH	LORINE FREE
Article number:	
406003 <ul> <li>1.2 Relevant identified uses of</li> </ul>	f the substance or mixture and uses advised against
See the following or attachment	
<ul> <li>Sector of Use SU3 Industrial uses: Uses of su</li> </ul>	ibstances as such or in preparations at
industrial sites	
entertainment, services, craftsn	e domain (administration, education, nen)
<ul> <li>Application of the substance Cleaning material/ Detergent</li> </ul>	/ the preparation
0 0	
• 1.3 Supplier details:	
Manufacturer/Supplier:	
WIGOL W Stache GmbH chemische Fabrik	
Textorstraße 2 D-67547 Worms	
Fax : ++49-(0)6241-414141	Tel.: ++49-(0)6241-4141-0
Informing department:	
Laboratory Department	
<ul> <li>TEL:+49(0)6241 4141 0; FAX:+</li> <li>1.4 Emergency information:</li> </ul>	49(0)6241 4141 41; mail: kontakt@wigol.de
TEL: +49 (0) 6131 19240	
Poison Information Center Mair http://www.giftinfo.uni-mainz.de	
<ul> <li>Classification according to Di C corrosive R 35 Causes severe burns.</li> <li>Information concerning partice See the following</li> <li>Classification system:</li> </ul>	osive to metals. evere skin burns and eye damage. irective 67/548/EEC or Directive 1999/45/EC cular hazards for human and environment: o the latest editions of the EU-lists, and extended by company and literature data
GHS05 GHS05 Met. Corr.1 - H290 May be correst Skin Corr. 1A - H314 Causes se Classification according to Di C corrosive R 35 Causes severe burns. Information concerning partice See the following Classification system: The classification is according to 2.2 Label elements Labelling according to Regulation GHS05	osive to metals. evere skin burns and eye damage. irective 67/548/EEC or Directive 1999/45/EC cular hazards for human and environment: o the latest editions of the EU-lists, and extended by company and literature data
GHS05 Met. Corr.1 - H290 May be corr Skin Corr. 1A - H314 Causes se Classification according to Di C corrosive R 35 Causes severe burns. Information concerning partic See the following Classification system: The classification is according t 2.2 Label elements Labelling according to Regula	osive to metals. evere skin burns and eye damage. irective 67/548/EEC or Directive 1999/45/EC cular hazards for human and environment: o the latest editions of the EU-lists, and extended by company and literature data
GHS05 Classification according to Di C corrosive R 35 Causes severe burns. Information concerning partic See the following Classification system: The classification is according to 2.2 Label elements Labelling according to Regular GHS05 Signal word	osive to metals. evere skin burns and eye damage. irective 67/548/EEC or Directive 1999/45/EC cular hazards for human and environment: o the latest editions of the EU-lists, and extended by company and literature data ation (EC) No 1272/2008

according to 1907/2006/EC, Article 31

#### 1582800

Printing date: 01.10.2014

#### Reviewed on: 09.09.2014



## **PRODUCT** : TANK CLEANER A EXTRA CHLORINE FREE (continued of page 1) H314 Causes severe skin burns and eye damage. **Precautionary statements** P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 Immediately call a POISON CENTER or doctor/physician. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 2.3 Additional information: Results of PBT and vPvB assessment According to Annex XIII, XIV of Regulation (EC) No.1907/2006 concerning REACH Not fulfilling PBT (persistent bioaccumulative/toxic) criteria. Not fulfilling vPvB (very persistent/very bioaccummulative) criteria. Self classification PBT: Not applicable. vPvB: Not applicable. 03 Composition/Data on components • 3.2 Chemical characterization Description: Solution of substances listed below with non declarable additions. · Dangerous components: CAS NO. **Description Index R-phrases** % 1310-73-2 Sodium Hydroxide >30,0 EINECS Number: 215-185-5 Record number 01-2119457892-27 С 35 A Met. Corr.1 - H290, Skin Corr. 1A -H314 Additional information For the wording of the listed risk phrases refer to section 16. 04 First aid mesures • 4.1 Description of first aid measures General information Instantly remove any clothing soiled by the product.

- After inhalation
   Supply fresh air or oxygen; call for doctor.
   In the case of breathing difficulties have the casualty inhale oxygen.
- After skin contact Instantly wash with water and soap and rinse thoroughly.

Personal protection for the First Aider.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor. Use eye protection. Seek medical treatment.
  After swallowing Rinse out mouth.
- Drink copious amounts of water and provide fresh air. Instantly call for doctor. Do not induce vomiting; instantly call for medical help.

(continued on page 3)

according to 1907/2006/EC, Article 31

## 1582800

Printing date: 01.10.2014

#### Reviewed on: 09.09.2014



## PRODUCT : TANK CLEANER A EXTRA CHLORINE FREE

*(continued of page 2)* During spontaneous vomiting hold the head of the casualtyned onto low with the body in a prone position in order to avoid the penetration of vomit into the air tube.

• Information for doctor

Typical caustic burns. Symptoms of acute poisoning: The local damage proceeds very quickly, initially without any or little (inadequate!) sensation of pain. Eyes: in particular damage to the conjunctives, cornea, sclera (edema, ulceration/perforation, opacity of the cornea), more seldom even to the retina and choroidea; there is a danger of blindness! Skin: erythema -> erosion with swelling of the tissue showing soft, gelatinous surface (colliquative necrosis), -> deficient skin function (rule of nines!) Inhalation: tussive irritation, following massive inhalation possible dyspnoea, stridor, danger of laryngospasm/glottic edema, pulmonary edema, bronchopneumonia Ingestion: painful reddening/glassy swelling of the mucous membranes of the mouth/tongue (however, signs of corrosion can also be absent!); pain behind the sternum and in the epigastrum, dysphagia, under certain circumstances emesis (danger of aspiration); in serious cases rapid entry of collapse/shock (sometimes fatal); Information see: GESTIS-database on hazardous substances www.hvbg.de/bgia/gestis-database

- 4.2 The following symptoms may occur:
  - No further relevant information available.
- Danger No further relevant information available.
- Treatment No further relevant information available.

## 05 Fire fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- For safety reasons unsuitable extinguishing agents
   Not known.
- 5.2 Special hazards caused by the material, its products of combustion or flue gases: No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Keep breathing equipment ready. Wear protective equipment. Keep unprotected persons away.
- Additional information None

## 06 Accidental release measures

- 6.1 Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- 6.2 Measures for environmental protection: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
  6.3 Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose of the material collected according to regulations.
  - Dispose of contaminated material as waste according to regulations. Ensure adequate ventilation.
- 6.4 Additional information:

D

Other regulations, limitations and prohibitive regulations see chapter 15

(continued on page 4)

according to 1907/2006/EC, Article 31\_

## 1582800

Printing date: 01.10.2014

#### Reviewed on: 09.09.2014



## **PRODUCT:** TANK CLEANER A EXTRA CHLORINE FREE (continued of page 3) 07 Handling and storage Handling 7.1 Information for safe handling: Do not mix with acid products Information about protection against explosions and fires: No special measures required. Technically and precautionary measures Store in the original bundle. · 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: Observe official regulations on storing packagings with dangerous goods Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: Protect from frost. Protect from heat and direct sunlight. Storage class 8B Storage classes according TRGS 510 Class according to regulation on inflammable liquids: • 7.3 Specific end use(s) No further relevant information available. 08 Exposure controls and personal protection · Additional information about design of technical systems: No further data; see item 7. 8.1 Control parameters · Components with critical values that require monitoring at the workplace: CAS No. Designation of material The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists that were valid during the compilation were used as basis. • 8.2 Exposure controls Personal protective equipment General protective and hygienic measures Wash hands during breaks and at the end of the work. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Avoid contact with the eyes and skin. Other regulations, limitations and prohibitive regulations see chapter 15 Breathing equipment: Use breathing protectiony when aerosol or mist is formed (FFP2SL) Other regulations, limitations and prohibitive regulations see chapter 15 Protection of hands: Alkaline resistant protection gloves - EN 374 (Butyl india rubber, Viton) Other regulations, limitations and prohibitive regulations see chapter 15 Preventive skin protection by use of skin-protecting agents is recommended. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed (continued on page 5)

according to 1907/2006/EC, Article 31\_

1582800

Printing date: 01.10.2014

#### Reviewed on: 09.09.2014



## PRODUCT : TANK CLEANER A EXTRA CHLORINE FREE

(continued of page 4)
 Eye protection: Tightly sealed goggles (EN 166) Other regulations, limitations and prohibitive regulations see chapter 15

 Body protection: Protective work clothing EN 340 - Protective clothing, general requirements Chemical protective clothing - EN 463 following Other regulations, limitations and prohibitive regulations see chapter 15

9.1 Information on basic physical and	chemical properties	
Appearance		
Appearance:		
Form:	Fluid	
Colour:	Yellowish	
Smell:	Odourless	
Odour threshold:	Not determined.	
CHANGE IN CONDITION range/va	lue unit method	
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	> 100 °C	
Flash point:	Not applicable	
Inflammability (solid, gaseous)	Not applicable.	
gnition temperature:	Not applicable	
Decomposition temperature:	Not determined.	
Self-inflammability	Not determined.	
Danger of explosion:	Product is not explosive.	
Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
Steam pressure:	Not determined.	
Density	1,3400 - 1,4000 g/cm3 20°C	
Solubility in / Miscibility with		
Water:	Not determined.	
ph-value:	at 20 °C - 12,8	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0,00 %	

# 10 Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Materials to be avoided:
- No further relevant information available.
- Dangerous reactions
- Reacts with base metals forming hydrogen.
- 10.6 Dangerous products of composition: No dangerous decomposition products known

1582800

# CHEMICAL SAFETY DATA SHEET

according to 1907/2006/EC, Article 31\_

# Reinigung und Desinfektion

(continued on page 7)

Printing date: 01.10.2014

**PRODUCT:** 

## Reviewed on: 09.09.2014

TANK CLEANER A EXTRA CHLORINE FREE

(continued of page 5) **11 Toxicological information**  11.1 Information on toxicological effects Acute toxicity: • LD/LC50 values that are relevant for classification: 1310-73-2 Sodium Hydroxide Oral, LD50: 2001 mg/kg (rat) · Primary irritant effect: on the skin: Strong caustic effect on skin and mucous membranes. on the eye: Strong caustic effect. Sensitization: No sensitizing effect known. • Other information (about experimental toxicology): Note: If the toxicity data relate to the mixture, the calculation is made in accordance with Annex VI, Part 3 of Regulation (EC) 1272/2008. If toxicity data are listed for individual substances they do not refer to the proportions in the mixture, but only on the materials in their standard concentrations. Additional toxicological information: Corrosive Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. 12 Ecological information • 12.1 Toxicity Aquatic toxicity: 1310-73-2 Sodium Hydroxide Daphnia magna, EC50 (48h) : 101 mg/l Leuciscus idus, LC50 (48h) : 133 mg/l 12.2 Information about elimination (persistence and degradability): No further relevant information available. · Behaviour in environmental systems: No further relevant information available. 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: Behaviour in sewage processing plants: If appropriate diluted product reaches the sewage processing plant, there will be no disturbance of the biodegradable activities. · Additional ecological information: **CSB-value:** Not determined. BSB5-value: Not determined **AOX-indication:** Product contains no organic bounded halogen · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Before the waste is drained usually neutralization is necessary. If product reaches untreated water systems, hazardous effects on fish and other water organism are possible. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

according to 1907/2006/EC, Article 31

### 1582800

Printing date: 01.10.2014

#### Reviewed on: 09.09.2014



# **PRODUCT**: TANK CLEANER A EXTRA CHLORINE FREE (continued of page 6) • 12.6 Other adverse effects No further relevant information available. **13 Disposal considerations** • 13.1 Product: Recommendation The allocation of the waste disposal key number is to be executed by the user according to the European waste disposal catalog (EAK) industry and product specific (origin-referred). The waste keys are only referring to concentrated products. European waste catalogue 06 WASTES FROM INORGANIC CHEMICAL PROCESSES 06 02 wastes from the MFSU of bases 06 02 99 wastes not otherwise specified · Uncleaned packagings: **Recommendation:** Disposal must be made according to official regulations. **Recommended cleaning agent:** Water, if necessary with cleaning agent. 14 Transport information • 14.1 UN-Number ADR UN1824 IMDG UN1824 ΙΑΤΑ UN1824 14.2 UN proper shipping name ADR 1824 SODIUM HYDROXIDE SOLUTION, MIXTURE SODIUM HYDROXIDE SOLUTION, MIXTURE IMDG ΙΑΤΑ SODIUM HYDROXIDE SOLUTION, MIXTURE 14.3 Transport hazard class(es) ADR Class 8 (C5) Corrosive substances. Label IMDG Class 8 Corrosive substances. Label ΙΑΤΑ 8 Corrosive substances. Class (continued on page 8) D

Reviewed on: 09.09.2014

according to 1907/2006/EC, Article 31\_

## 1582800

Printing date: 01.10.2014



Label	3	(continued of page 7
<ul> <li>14.4 Packing group</li> </ul>		
ADR	II	
IMDG	II	
ΙΑΤΑ	Ш	
<ul> <li>14.5 Environmental hazards:</li> </ul>		
Marine pollutant:	No	
14.6 Special precautions for user		
Warning: Corrosive substances. Danger code (Kemler):	80	
EMS Number:	F-A,S-B	
Segregation groups	Alkalis	
<ul> <li>14.7 Transport in bulk according to Anne Not applicable.</li> </ul>	ex II of MARPOL73/78 and the II	3C Code
Transport/Additional information:		
- Excepted quantities (EQ):	E2	
Limited quantities (LQ)	1L	
Transport category	2	
Tunnel restriction code	E	
UN "Model Regulation": UN 1824 SODIUM HYDROXIDE SOLUTIO	N, MIXTURE, 8, II	
5 Regulatory information		

# National regulations

Germany: Technical rules for dangerous materials (TRGS) in particular consider: TRGS 500 Protection measures : minimum standards TRGS 531 endangerment of the skin by work in the damp environment (damp work) TRGS 201 Classification and marking from wastes to the removal while handling Germany: Regard the principles of the professional organizations for preventive medical examinations (BGV A 4), in particular: G 24 Skin diseases (with exception of skin cancer) Germany: Regard the principles of the professional organizations rules (BGR) in particular consider: BGR 197: Use of skin protection · Classification according to VbF: Classification after plant security regulation (BetrSichV): · Technical instructions (air): No further details • Water hazard class: In accordance with VwVwS appendix 4 Water hazard class 1 (£) : slightly hazardous for water.Self-assessment 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(continued on page 9)

according to 1907/2006/EC, Article 31

## 1582800

Printing date: 01.10.2014

## Reviewed on: 09.09.2014



16 Other inf		nued of page 8)
These data a	re based on our present knowledge. However, they shall not constitute a guarantee for a res and shall not establish a legally valid contractual relationship.	any specific
Contents a people by • Recomme	Causes severe burns. <b>ints</b> Innual instruction and training of the coworkers Ind time of the instruction are to be held in a written form and must be confirmed by the signature. Cconsider storage time of the proof. <b>nded restriction of use</b> product - only for commercial applications.	instructing
Laboratory • Abbreviat ADR: Acc concerning RID: Règli (Regulatic IMDG: Inte IATA: Inte ICAO: Inte GHS: Glob CAS: Che VbF: Vero Austria) LC50: Lett	nt issuing data specification sheet: department. fons and acronyms: ord européen sur le transport des marchandises dangereuses par Route (European Agre the International Carriage of Dangerous Goods by Road) ment international Carriage of Dangerous Goods by Road) ment international concernant le transport des marchandises dangereuses par chemin of s Concerning the International Transport of Dangerous Goods by Rail) mational Maritime Code for Dangerous Goods national Air Transport Association rnational Civil Aviation Organization wally Harmonized System of Classification and Labelling of Chemicals nical Abstracts Service (division of the American Chemical Society) dnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustil nal concentration, 50 percent al dose, 50 percent <b>npared to the previous version altered.</b>	de fer