

## Safety Data Sheet

### ACETOX (Range)

Safety Data Sheet dated 20/07/2015, version 1

---

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name:

**ACETOX VIN BLANC (VB) and ACETOX VIN ROUGE (VR)**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Enological product

1.3. Details of the supplier of the safety data sheet

Company:

SOFRALAB

79 AV. A.A. Thévenet - CS11031

51530 MAGENTA - FRANCE

Tel: 0033 (0) 326 51 29 30 - Fax: 0033 (0)3 26 51 87 60

Competent person responsible for the safety data sheet:

lcq@sofralab.com

1.4. Emergency telephone number

Emergency telephone number of the company and/or of an authorised advisory centre:

ORFILA 0033 (0)1 45 42 59 59

---

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

Xi Irritant


R Phrases:

R31 Contact with acids liberates toxic gas.

R37 Irritating to respiratory system.

R41 Risk of serious damage to eyes.

EC regulation criteria 1272/2008 (CLP)

 Danger, Eye Dam. 1, Causes serious eye damage.

EUH031 Contact with acids liberates toxic gas.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:



Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.


## Safety Data Sheet

### ACETOX (Range)

- P310 Immediately call a POISON CENTER/doctor/...
- Special Provisions:  
EUH031 Contact with acids liberates toxic gas.
- Contents  
METABISULFITE DE POTASSIUM
- Special provisions according to Annex XVII of REACH and subsequent amendments:  
None
- 2.3. Other hazards  
vPvB Substances: None - PBT Substances: None
- Other Hazards:  
No other hazards

---

### SECTION 3: Composition/information on ingredients

- 3.1. Substances  
N.A.
- 3.2. Mixtures  
Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:  
> 90% METABISULFITE DE POTASSIUM  
CAS: 16731-55-8, EC: 240-795-3  
Xi; R37-41-31  
 3.3/1 Eye Dam. 1 H318

NON Hazardous components within the meaning of EEC directive 67/548 and CLP regulation:  
ENOLOGICAL TANNINS

---

### SECTION 4: First aid measures

- 4.1. Description of first aid measures
- In case of skin contact:  
Immediately take off all contaminated clothing.  
Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.  
Wash thoroughly the body (shower or bath).  
Remove contaminated clothing immediately and dispose off safely.
- In case of eyes contact:  
After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.  
Protect uninjured eye.
- In case of Ingestion:  
Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:  
In case of inhalation, consult a doctor immediately and show him packing or label.
- 4.2. Most important symptoms and effects, both acute and delayed  
None
- 4.3. Indication of any immediate medical attention and special treatment needed  
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).  
Treatment:  
None

---

### SECTION 5: Firefighting measures

- 5.1. Extinguishing media  
Suitable extinguishing media:

## Safety Data Sheet

### ACETOX (Range)

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

---

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep this product in a dry place.

Keep away from food, drink and feed.

Incompatible materials:

Keep away from acids.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

---

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

METABISULFITE DE POTASSIUM - CAS: 16731-55-8

## Safety Data Sheet

### ACETOX (Range)

- OEL Type: ACGIH, 2 ppm - Notes: SO2

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

8.2. Exposure controls

Eye protection:

Dust protection eye glasses.

Protection for skin:

Overall.

Protection for hands:

NBR (nitrile rubber).

Respiratory protection:

Mask with filter "P", white colour

Thermal Hazards:

None

Environmental exposure controls:

None

---

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: **White and brown granules**

Odour: **Pungent**

Odour threshold: N.A.

pH: N.A.

Melting point / freezing point: N.A.

Initial boiling point and boiling range: N.A.

Solid/gas flammability: N.A.

Upper/lower flammability or explosive limits: N.A.

Vapour density: N.A.

Flash point: N.A.

Evaporation rate: N.A.

Vapour pressure: N.A.

Relative density: N.A.

Solubility in water: **Soluble**

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A.

Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A.

Oxidizing properties: N.A.

9.2. Other information

Miscibility: N.A.

Fat Solubility: N.A.

Conductivity: N.A.

N.A.

---

## SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

## Safety Data Sheet

### ACETOX (Range)

- With acids
- 10.4. Conditions to avoid  
Intense heat (>150°C) / Avoid humidity.
- 10.5. Incompatible materials  
Acids and oxidizing agents, nitrates, nitrites, sulphur.
- 10.6. Hazardous decomposition products  
Toxic gases (sulfur dioxide).

---

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

METABISULFITE DE POTASSIUM - CAS: 16731-55-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 2300 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5.5 mg/l - Duration: 4h

Bicarbonate de potassium - CAS: 298-14-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Notes: No dead animal

Test: LC50 - Route: Inhalation - Species: Rat > 4880 mg/m<sup>3</sup> - Notes: No dead animal

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Notes: No dead animal

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

METABISULFITE DE POTASSIUM - CAS: 16731-55-8

a) Aquatic acute toxicity:

Endpoint: LC50 Fish = 460 mg/l - Duration h: 96

Endpoint: EC50 Algae = 65 mg/l - Duration h: 17

Bicarbonate de potassium - CAS: 298-14-6

a) Aquatic acute toxicity:

Endpoint: LC50 Fish = 1300 mg/l - Duration h: 96

Endpoint: LC50 Daphnia = 650 mg/l - Duration h: 48

Endpoint: LC50 Daphnia = 670 mg/l - Duration h: 24

##### 12.2. Persistence and degradability

N.A.

##### 12.3. Bioaccumulative potential

N.A.

##### 12.4. Mobility in soil

## Safety Data Sheet

### ACETOX (Range)

- N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

#### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.

---

#### SECTION 14: Transport information

Not applicable in this case

- 14.1. UN number
- 14.2. UN proper shipping name  
ADR-Shipping Name: NA  
IATA-Shipping Name: NA  
IMDG-Shipping Name: NA
- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- 14.6. Special precautions for user
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  
N.A.

---

#### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)  
Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Dir. 2006/8/EC  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) n. 453/2010 (Annex I)  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)  
Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:  
Restrictions related to the product:  
No restriction.  
Restrictions related to the substances contained:  
No restriction.
- Where applicable, refer to the following regulatory provisions :  
Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.  
Regulation (EC) nr 648/2004 (detergents).  
1999/13/EC (VOC directive)

## Safety Data Sheet

### ACETOX (Range)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):  
N.A.

15.2. Chemical safety assessment  
No

---

#### SECTION 16: Other information

Full text of phrases referred to in Section 3:

R31 Contact with acids liberates toxic gas.

R37 Irritating to respiratory system.

R41 Risk of serious damage to eyes.

H318 Causes serious eye damage.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.

**Safety Data Sheet**  
**ACETOX (Range)**

WGK: (ACGIH Standard).  
German Water Hazard Class.