



Safety Data Sheet dated 29/8/2015, version 1

| SECTION 1: Identification of the substance/mixture and of the company/undertaking |
|---|
| 1.1. Product identifier |
| Mixture identification: |
| Trade name: BAKTOL 50- BAKTOL 80- BAKTOL 100- BAKTOL 150- BAKTOL 180 |
| CAS number: 7773-03-7 |
| EC number: 231-870-1 |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against |
| Recommended use: |
| Enological product |
| 1.3. Details of the supplier of the safety data sheet |
| Company: SOFRALAB |
| 79 AV. A.A. Thévenet - CS11031 |
| 51530 MAGENTA - FRANCE |
| Tel: 0033 (0) 326 51 29 30 - Fax: 0033 (0)3 26 51 87 60 |
| Competent person responsible for the safety data sheet: |
| Icq@sofralab.com |
| 1.4. Emergency telephone number Emergency telephone number of the company and/or of an authorised advisory centre: |
| ORFILA 0033 (0)1 45 42 59 59 |
| |
| SECTION 2: Hazards identification |
| 2.1. Classification of the substance or mixture |
| EC regulation criteria 1272/2008 (CLP) |
| Warning, Eye Irrit. 2, Causes serious eye irritation. |
| Warning, STOT SE 3, May cause respiratory irritation. |
| EUH031 Contact with acids liberates toxic gas. |
| Adverse physicochemical, human health and environmental effects: |
| No other hazards |
| 2.2. Label elements |
| Symbols: |
| |
| |
| |
| Warning |
| Hazard statements: |
| H319 Causes serious eye irritation. |
| H335 May cause respiratory irritation. |
| Precautionary statements: P264 Wash hands thoroughly after handling. |
| P204 Wash hands thoroughly alter handling. P271 Use only outdoors or in a well-ventilated area. |
| P280 Wear protective gloves/protective clothing/eye protection/face protection. |
| P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| |

baseB200 Page n. 1 of 8



P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/ doctor/if you feel unwell.

Special Provisions:

EUH031 Contact with acids liberates toxic gas.

Contents

POTASSIUM BISULPHITE

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Number | Classification |
|--------|------------|----------------|---|
| > 7% - | POTASSIUM | CAS: 7773-03-7 | 3.3/2 Eye Irrit. 2 H319 3.8/3 STOT SE 3 H335 EUH031 |
| < 40% | BISULPHITE | EC: 231-870-1 | |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

- Protect uninjured eye.
- In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None



SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
 - Burning produces heavy smoke.
- 5.3. Advice for firefighters
 Use suitable breathing apparatus .
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Use appropriate respiratory protection. See protective measures under point 7 and 8.
 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 - Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhaltion of vapours and mists.
 - Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities
 - Keep away from food, drink and feed.
 - Incompatible materials:
 - Keep away from acids.
 - Instructions as regards storage premises:
 - Adequately ventilated premises.
- 7.3. Specific end use(s)

None in particular

baseB200 Page n. 3 of 8



SECTION 8: Exposure controls/personal protection 8.1. Control parameters POTASSIUM BISULPHITE - CAS: 7773-03-7 - OEL Type: ACGIH - STE: 0.25 ppm - Notes: SO2 - OEL Type: EU - LTE: 0.5 ppm - STE: 1 ppm - Notes: SO2 DNEL Exposure Limit Values N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Eye glasses with side protection. Protection for skin: Overall. Protection for hands: Suitable gloves type: UNI EN 420/UNI EN 374 Respiratory protection: Gas filtering device (DIN EN 141). Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes |
|-----------------------------|-----------|---------|-------|
| Appearance and colour: | Liquid | | |
| Odour: | Pungent | | |
| Odour threshold: | N.A. | | |
| pH: | 3.5 -5 | | |
| Melting point / freezing | N.A. | | |
| point: | | | |
| Initial boiling point and | N.A. | | |
| boiling range: | | | |
| Flash point: | N.A. | | |
| Evaporation rate: | N.A. | | |
| Solid/gas flammability: | N.A. | | |
| Upper/lower flammability or | N.A. | | |
| explosive limits: | | | |
| Vapour pressure: | N.A. | | |
| Vapour density: | N.A. | | |
| Relative density: | 1.06-1.26 | | |
| | Kg/dm3 | | |
| Solubility in water: | 0-100% | | |
| Solubility in oil: | N.A. | | |
| Partition coefficient | N.A. | | |
| (n-octanol/water): | | | |
| Auto-ignition temperature: | N.A. | | |
| Decomposition | N.A. | | |



| temperature: | | | |
|-----------------------|------|------|--|
| Viscosity: | N.A. | | |
| Explosive properties: | N.A. | | |
| Oxidizing properties: | N.A. | | |

9.2. Other information

| Properties | Value | Method: | Notes |
|-----------------|-------|---------|-------|
| Miscibility: | N.A. | | |
| Fat Solubility: | N.A. | | |
| Conductivity: | N.A. | | |

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products Toxic gases

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Toxicological information of the mixture:
 - N.A.

Toxicological information of the main substances found in the mixture:

- POTASSIUM BISULPHITE CAS: 7773-03-7
- a) acute toxicity:
 - Test: LD50 Route: Oral Species: Rat > 2300 mg/kg Notes: dry product
- c) serious eye damage/irritation:
 - Test: Eye Corrosive

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

baseB200 Page n. 5 of 8



BISULFITE DE POTASSIUM - CAS: 7773-03-7

a) Aquatic acute toxicity:

Endpoint: LC50 Fish = 460-1000 mg/l - Duration h: 96 - Notes: dry product Endpoint: EC50 BACTERIA = 65 mg/l - Duration h: 17 - Notes: dry product

- 12.2. Persistence and degradability
 - N.A.
- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods Recover if possible. In so do
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A. 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)
Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

baseB200 Page n. 6 of 8



Restrictions related to the product: Restriction 3 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

EUH031 Contact with acids liberates toxic gas.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| ADR: CAS: CLP: DNEL: EINECS: | European Agreement concerning the International Carriage of Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging. Derived No Effect Level. European Inventory of Existing Commercial Chemical Substances. |
|--|--|
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| LTE: | Long-term exposure. |

baseB200 Page n. 7 of 8



| PNEC: | Predicted No Effect Concentration. |
|---------|---|
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STE: | Short-term exposure. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWATLV: | Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). |
| WGK: | German Water Hazard Class. |